



12 VOLT - STARK SUPER HEAVY DUTY (SHD)

Sigla identificativa ETN	Segmento	Ah	A EN	Tipo polo	Polarità	Fissaggio alla base	Schema	Dimensioni
A 135 SHD 635 105 085	SHD	135	850	1	3	B01-INT.		
DAF: CF 75 IVECO: Eurocargo 130 E18->170 E23 LINDNER: Geotrac 73->103 MAN: M90 14.232-> 19.322 - M2000 15.185->25.285 - TGM MERCEDES BENZ: Atego RENAULT TRUCKS: Midlum - M 140-> 250.16 - Premium D - S 100.06->180.75 SCANIA: P82H - P92 H - P93 - P94 D - P94 DB - P94 LB - P230 DB - P 270 DB - P 310 DB VOLVO: FE 240 - FL 240								
B 180 SHD 680 032 100	SHD	180	1000	1	3	B03		
DAF: CF 85 IVECO: 190 E27->E52 - Turbostar - 240 E38->E52 - 260 E27->E43 - 440 E42->E52 - Eurotech - Eurotrækker - Eurostar - Stralis MAN: F90 - F2000 - M90 22.361->32.342 - TG/A - TGS - TGX MERCEDES: AXOR RENAULT TRUCKS: AE - AE Magnum -Magnum E-tech - Magnum - Premium D ('06->) - Premium R - Kerax SCANIA: P114, 124 - P 340->420 - R114, 124,144, 164 - R 340->620 - T114, 124, 164 VOLVO: FE 280_18 ->320_26 - FH 12 - F 16 - FL 280_11.5->280_18 ('06->) - FM 9.340- FM 9 - FM 10 - FM 12 - FM 260->FM 480 ('06->) - NH 12								
CX 225 SHD 725 012 115	SHD	225	1150	1	3	B03		
DAF: XF95 - XF 105 INBUS - IVECO: Stralis Euro5 MENARINI - MERCEDES BENZ: Bus NEOPLAN - SCANIA: Bus SETRA: Bus VOLVO: FH12 ('06->) - FH 16 ('07->)								



12 VOLT - STARK SUPER HEAVY DUTY (HD) - STARK (ST)

Sigla identificativa ETN	Segmento	Ah	A EN	Tipo polo	Polarità	Fissaggio alla base	Schema	Dimensioni
G28 100	ST	100	720	1	0	B03		
<p>CARRARO A.: Ergit - Supercar - Tigre - Tigrecar - Tigrone CARRARO SPA: Agri Plus - 48.2 - 58.2 - 502 - 505 - 520.5 - 604 - 605 C - 655 CL - 720.5 CASE IH: JXC 1070->1095 - JX Quantum 85 C, 95 C CLAAS: Nectis 227->267 DEUTZ-FAHR: Agrolux 57, 60, 67, 70 - Agroplus 60 FERRARI: System 55->80 - Thor GOLDONI: Trattori serie 3000, Compact, Star 65, 75, 85 - Universal - 4000 Quadrifoglio HYUNDAI: Santa Fe 2.2 CRDi (4x4) - Sonata V 2.0 CRDi - H1 Autobus 2.5 CRDi ('06->) HURLIMANN: H358, 362, 372, 468/4, 476, 478, 488, 5650, 5660 - XA 56->86 - XE (F) Tradition 55, 70 XA 656 DT, XFH JOHN DEERE: 4055 - 4255 - 4555 - 4755 - 4955 - 5210-> 5410 - 5215->5515 KUBOTA: M 6800, 8200, 9000 LAMBORGHINI: C 353->874/90 - Crono - Crono Target - Cross - Grimper - Plus - R483->804 - Sprint LANDINI: Alpine - Atlantis - Atlas - Discovery - Ghibli - Globus - Mythos - Powerfarm - Rex - Trekker - Vision LEXUS: LS 400 I V8 MAZDA: 626 2.5 I V6, 2.0 D - 6 Atenza 2.0 CDVI - MPV 2.0 CDVI MC CORMICK: C 50->80 - CX 70->100 - CX 75, 85, 95, 105 - CMAX 60->105 - F60_4->100_4 - MC 80->100 MITSUBISHI: Pajero 2.5 TDI, 3.2 TD - Outlander 2.4 Mivec - Grandis 2.0DI-D NEW HOLLAND: T 4020->4050 - TF 4030->4050 - TNFA 75->95 - TNVA 60->95 NISSAN: Patrol GR III 2.8, 3.0 DDTI - Sunny 2.0 SLXD - PASQUALI: Cronos - Ergo - Mars SAME: Argon (Classic) - Aster - Aurora - Centurium - Explorer 70c->90c - Frutteto - Rock - Solar TOYOTA: Previa 2.0 D-4D VALPADANA: 4570, 4580, 4590 - Climber - Frutteto - Multitrac</p>								
G28X 100	ST	100	720	1	1	B01		
<p>GOLDONI: Serie Euro (93->) - Serie Transcar (->97) HYUNDAI: H 200 D KIA: Carnival 2.9 TD - Pregio - Sorento 2.5 D - Sportage 2.0 TDI KUBOTA: M 4000, 4050, 4500 MITSUBISHI: Pajero 3.5I GDI V6 24V 2.5 TDI - L200 2.5 D - Lancer 2.0 D - Space Gear 2.5 TDI NISSAN: Terrano II 2.7 TDI (4x4) - Trade TOYOTA: Land Cruiser 3.0 TDI D</p>								
CB 110 B01	ST	110	850	1	0	B01		
<p>IVECO: Daily ('07->) 35C, 35S, 60C, 65C - Eurocargo ('07->) 65 E16, 75 E16 (E18), 80 E22, 90 E22, 100 E18</p>								
CB 110	ST	110	850	1	0	B00		
<p>CASE IH: JX75->95 - JXU70->100 - MXU100->125 CLAAS: Ares 546->566, 547->657 - Celtis 426->456 IVECO: Daily2000 (->'06) - Eurocargo Tector 60E13->150E28 MASSEY FERGUSON: MF 135, 185, 265, 410, 510, 620, 1020, 1505, 2205, 2720, 4200, 4435->4455 - 8250 MC CORMICK: XTX 150->185 NEW HOLLAND: TDD75->95 - TSA 110->135 NISSAN: Cabstar ('07->) 28.11, 32.11, 35.11, 35.13, 35.15, 45.13, 45.15 RENAULT Agriculture: Ceres - Cergos - Ergos - Temis 550, 560 RENAULT TRUCKS: Mascot ('07->) 110.35->160.65 - Maxity 150.35, 150.45 VOLVO: FL 6</p>								
MC12 120 620 107 085	HD	120	850	1	4	B03		
<p>CARRARO A.: Tigrone Atlas 746 RS, 750, 750 RS, 765, 766 CIMAS: D.76 I - D.85 I - D.86 I - D.96 I - SF55 DEUTZ-FAHR: Agroplus 75, 85, 95 HURLIMANN: H356, 466, 496, 7600 - Prestige H/478 BDT - XT 85, 95 - XT 908 DT, 909 DT, 910.4 DT KOMAT'SU: PC 75, 95 - PW 75, 95 - SK09J/2 - WB70 A/1 LAMBORGHINI: Premium 850->1060 - R 6.100, 850, 904 DT, 904 DTS, 950, 955 DT, 956 - Triumph 80->100 LANDINI: DT9500 - Land Power 125->185 - Legend 120->160 - R7000 DT, 8000, 8500, 9500 SAME: Jaguar 95 DT - Krypton 80->100 - Laser 85, 90, 100 - Leopard 85 - Minitaurus 60 - Panther 90, 95 DT - Silver 80->100 DT - Trident 130</p>								
A 120 620 108 085	HD	120	850	1	3	B01-INT.		
<p>CLAAS: Classic - Commandor - Cosmos - Dominator - Jaguar - Maxi - Mercur - Senator DEUTZ-FAHR: Agroprima - Agrostar - D 25, 30, 270 - D 5006, 7006, 8006 - DX 3.70, 6.05, 6.30 - Intrac 2003, 2004 IVECO: 440 E35T/P, E38/TP - Eurocargo (->'06) 80 E15 ->170 E23 MAN: M90 14.232->19.322 MERCEDES BENZ: Atego STEYR: 8060 - 8070 - 8080 - 8090 - 8110</p>								





12 VOLT - STARK SUPER HEAVY DUTY (HD) - STARK (ST)

Sigla identificativa ETN	Segmento	Ah	A EN	Tipo polo	Polarità	Fissaggio alla base	Schema	Dimensioni
CH 125 625 103 076	ST	125	760	1	0	B00		
ALLIS CHARMERS: TL 12, 16, 645 ATLAS COPCO: XA 60, 80 - XAS 60, 80 BEDFORD: TL 1000, 1500, 1600 - TM 3650, 3800, 4400 DAF: CF 65 - LF 45 - LF 55 FORD: Cargo-serie (->'80) - Transcontinental serie LEYLAND: Chieftain - Cruiser - Marathon - Mastif - Supermastif MASSEY FERGUSON: MF 174C, 274C, 393, 665, 845, 1100, 1550, 2135C								
MT 132 632 101 095	HD	132	950	1	0	B01		
AGRIFULL TOSELLI: 70 - 80 - 90 S - 100 - 110 S - 140 CARRARO SPA: 820.5 - 920.5 Turbo CASE IH: JX 70->95 - JXU 85->105 - Maxxum 100X->140X LANDINI: Legend 105, 115, 130, 145, 165, 180 - Mythos DT 110 LAVERDA: M112, 120, 132, 152MP MC CORMICK: MTX - T 70->100 NEW HOLLAND: 110/90 - serie 66 S - TL70->100 - TLA 70->100 - T 5030->5050 - T 6010->6080 VALPADANA: 2555, 2565, 2575, 2580, 5570, 5580, 5590, 5595								
MC15 160 660 103 105	HD	160	1050	1	4	B03		
ASTRA: HD7 64.34->64.45 CARRARO SPA: 68.2 - 78.2 - 88.2 - 98.2 DEUTZ-FAHR: Agroplus 100 - Agrotron K90->K120 FAI: Pala artic. 575, 585, 590, 595 - Terne FIAT AGRI: 550 - 600 - 650 - 800 - 850 - 1000 - 1300 FIAT ALLIS: FL10 B, 14 B - FR15 HURLIMANN: H6115, 7630, 8610 - SX 1200->2000 - XM 100->130 - XT 105, 115, 130 - XT 910.6->913 IVECO: (180.26 - 190.25, 30, 35 ->'86) - 220.35, 38 - (330.25, 26, 32, 35, 36 ->'86) KOMATSU: PC110R/1 - PW110R/1 LAMBORGHINI: Champion - Premium 1100, 1300 - R 1056 DT - R 1156 DT->R 1356 DT - R 4.120, 6.110 - R 4.105 ->R 7.200 LAVERDA: 3350 AL - 3450 - 3600 - 3700 - 3790 - 3890 - 3900 SAME: Antares - Bufalo - Drago - Iron - Laser - Silver 105->130 - Tiger								
B 160 660 104 105	HD	160	1050	1	3	B00		
ASTRA: HD7/C IVECO: 190.33 Turbostar - 190 E27->E42/P - 190 E43P->E52/P - 220.36 ('87->) - 240 E38->E52 - 260 E27->E43 - 330.26->330.35 ('87->) - 400 E39T/P, E43T/P - Eurocargo ('07->) 120, 130, 140, 150, 160 - Eurocargo 170 E27->320 E28 JOHN DEERE: 6510, 6610, 6910, 6920 MAN: F90 - F2000 19.293->35.464 - M90 22.361->32.342 MERCEDES BENZ: Actros - Atego 1828 L - 1850 - 2044 - 2050 - 3544 RENAULT TRUCKS: R 310->420 STEYR: 9115 base - 9125, 9145 confort VOLVO: FL 7 - FL 10 - FL 12 - FM 7 - FM 9 VALTRA: 6000 - 8000 - M serie - T serie ZETOR: 6441 - 7441 - 8441								
B 180 680 104 110	HD	180	1100	1	3	B00		
CASE IH: CVX - MXM - Puma 165->210 CLAAS: Ares - Atlas - Arion 510->540, 610->640 - Axion 810->850 DAF: CF 85 DEUTZ FAR: Agrotron 200, 215, 265 - TTV 1130->1160 - X 710, 720 FENDT: Vario 712->718, 818, 820, 922->936 IVECO: 190 E42, E52 - 190.42 Turbostar - 190.48 ('87->) - 260 E42 - 440 E42->E52 - Eurotech 190 E40->440E43 - Eurotraktor - Eurostar 240E27->440E52 - Stralis JOHN DEERE: 6530->6930 - Premium 7430, 7530 LAMBORGHINI: R6 VRT 150.7, 160.7 - R7.200 - R8.230 - R8.270 MAN: F2000 41.364->41.463 - TG/A - TGS - TGX MERCEDES BENZ: Axor NEW HOLLAND: T 7030->7060 RENAULT TRUCKS: AE 380->520 - AE Magnum 390->560 - Magnum E-tech - Magnum 400.18 ->480.19 - Premium D ('06->) - Premium R - Kerax SAME: Iron 130->185 - Iron Continuo 150.7, 165.7 SCANIA: P114, 124 - R114, 124, 144, 164 - T114, 124, 164 STEYR: CVT 120, 130, 150, 170 VOLVO: FE 280_18->320_26 - FH 12 - F 16 - FL 280_11.5->280_18 ('06->) - FM 9.340 - FM 9.380 - FM 10 - FM 12 - FM260->FM480 ('06->) - NH 12								
MC15 185 685 101 120	HD	185	1200	1	4	B03		
ASTRA: HD7 66.45, 84.38, 84.45, 86.45 CASE IH: CVX 140->195 FIAT AGRI: 160.90 DT - 180.90 - 1580 DT - 1880 FIAT ALLIS: FD20 - FE20 - FL20 HURLIMANN: H6170T - H6670, 6680, 6690 - H7650 LAMBORGHINI: 1506T - Racing 150, 165, 190 LAVERDA: 3400 - 3550 MENARINI: 110 L - 370.12.35 NEW HOLLAND: 7250->7550 SAME: Galaxi 170 - Hercules 160 Dt - Laser 150 - Supertitan - Titan								



12 VOLT - STARK SUPER HEAVY DUTY (HD) - STARK (ST)

Sigla identificativa ETN	Segmento	Ah	A EN	Tipo polo	Polarità	Fissaggio alla base	Schema	Dimensioni
CX 200 700 108 115	HD	200	1150	1	3	B00		

DAF: XF 95 - XF 105 **DEUTZ-FAHR:** D 40S, 400, 540 **FIAT ALLIS:** BD20 - T 360, 460 - TL 30, 40, 160, 260, 545, 546, 562, 645 - TS 160, 260 **HANOMAG:** 14D - 18C - K 12C, 15, 16 **INBUS:** S150 - U150 - U210FT - Y210 **IVECO:** Stralis Euro5 **MENARINI:** 418 AC - 419 AL **MERCEDES BENZ (Bus):** 0305 - 0307 - 0404 - 0405 - 0409 - Integro **NEOPLAN**
SCANIA: Bus **SETRA:** Bus